

LPS COLD GALVANIZE

CORROSION INHIBITOR

DESCRIPTION

COLD GALVANIZE is a zinc rich coating that performs like a hot dip galvanize to prevent rust and corrosion on all types of metals for up to three years. **COLD GALVANIZE** works electro-chemically on all ferrous metals, providing corrosion protection indoors and out. **COLD GALVANIZE** can be used as a primer over rusted metal to repair hot dip galvanizing. Specially formulated **COLD GALVANIZE** provides a tough, flexible coating that will not crack or peel even in extreme heat or cold.

APPLICATIONS

Chain link fences, pipes, ducts, newly welded surfaces, heating parts, outside storage tanks, airconditioning parts, plumbing, machine housing, pulley and chain cover, material handling equipment and structural steel.



TECHNICAL DATA

FORM: Aerosol
ODOUR: Solvent
COLOUR: Grey
DETERGENCY: N/A
TOXICITY: CNS depressant
WETTING ABILITY: N/A
STORAGE ABILITY: 1 year +
COLD STABILITY: Good
PHOSPHATES: Nil

FLASH POINT: 28°C
FLAME EXTENSION: LEL 1.2%-UEL 7.0%
SOLUBILITY IN WATER: Nil
SPECIFIC GRAVITY: 2.10g/ml
%VOLATILE BY VOLUME: 57%
pH: N/A
PROPELLANT: Hydrocarbon
EVAPORATION RATE: Rapid
BIODEGRADABILITY: No

DIRECTIONS FOR USE

Brush off loose rust and apply to clean, dry surface. Shake can vigorously until ball inside moves freely. Spray with a sweeping motion with nozzle about one foot from surface. Dries to touch in 3 to 5 minutes. Several thin coats provide greater protection than one heavy application. To avoid clogging, turn can upside down after each use and spray a few short bursts.